General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some
 of the material. However, it is the best reproduction available from the original
 submission.

Produced by the NASA Center for Aerospace Information (CASI)

٠,٠

63/43

"Made available under NASA sponsorship in the interest of early and wide dissemination of Earth Resources Survey

Program information and without liability

in any use roses Survey."

17 March 1976

E7.6-10.20.5 CR-146300

Douglas M. Pirie Drincipal Investigator
U. S. Army Engineer District, San Francisco
100 McAllister Street
San Francisco, California 94102

David D. Steller
Co-Investigator
ESCA-Tech Corporation
(Earth Science Consulting and Technology Corporation)
2330 Cherry Industrial Circle
Long Beach, California 90805

Type II Progress Report for Period 1 December 1975 to 29 February 1976

Prepared for: National Aeronautics and Space Administration Goddard Space Flight Center Greenbelt, Maryland 20771

A. Problems

- (1) The Eel River Basin Comprehensive Study and Humboldt Harbor and Bay, to which this study was to have been applied, was not funded as expected. For this reason, other on-going local projects are being substituted. Humboldt Bay is being analyzed from the ocean-ographic and overall environmental standpoint as part of the Eureka-Arcata Regional Sawage Facility Project. We are in the process of applying the general techniques utilized in the north San Francisco Bay to Humboldt Bay. This includes: relating river runoff and sediment discharges statistics to the LAMDSAT imagery, plotting dynamic surface patterns within the bay and determine the seasonal runoff patterns. This information will be compiled and applied to the problem of selecting a sewage outfall site.
- (2) San Pablo Day Correlation Project Comparisons of LANDSAT density and available sediment concentration statistics has not resulted in the overall seasonal correlation hoped for. During extremely heavy Sacramento River discharge periods anomalous coefficients resulted. Although some of the shallow water data showed good correlation, the overall bay statistics did not. The lack of funds for simultaneous sediment sample collection was one of the causes of this problem.

ORIGINAL PAGE IS OF POOR QUALITY

B. Accomplishments

- (1) Review of study progress with Ed Crump, NASA Technical Representative.
- (2) Channel Island Harbor Data Collection Study. In conjunction with this Channel Island study a flight test and sea truth collection was made simultaneous with the LANDSAT overpass on February 18, 1976. The collected information is being supplemented by project LEO (Littoral Environmental Observations) and U. S. Army Corps of Engineers CERC (Coastal Engineering Research Center) data collected at Port Hueneme. The primary emphasis of this phase of this study is the analysis of the sediment budget problems in the Ventura Harbor, Channel Island Harbor and Port Hueneme. These problems have to do specifically with the interrelationship of the nearshore processes and the shore protection structures. The LANDSAT imagery can be interpreted for nearshore current and sediment transport patterns. This information is being used as background in analysis of the harbor fill problem at Ventura Harbor and the continuous dredging at the mouth of Channel Island Harbor. The aircraft flights and sea truth survey provided information on several current shears or reversals in the Anacapa Channel. The imagery for February 18, 1976 has not yet arrived, but the type of feature found in the Anacapa Channel appears to be significant to the harbor sediment budgets. On the previous surveys the shears in the channel indicated the presence of large complex gyres. This dynamic system is the cause of the influx of material into harbors.
- (3) The mosaics of the California current periods are assembled. Plots of the currents during the Oceanic, Upwelling, and Davidson periods have been made. Comparison to previous plots is being prepared.
- C. <u>Significant Results</u> None
- D. <u>Publications</u> None
- E. Recommended Changes None
- F. Funds Expanded \$39,500
- G. Data Use Cabulation

Value of data allowed Value of data ordered Value of data received \$ 9,800 \$ Standing order \$ 4,040